



MSDS

MSDS Version # 001

MSDS DATE: 7/12/2007

MSDS Code: 11201

I. PRODUCT IDENTIFICATION

PRODUCT: ORO Base
SUPPLIER: ORO Coatings, LLC
18021 North 25th Avenue, Suite C
Phoenix, AZ 85023

EMERGENCY CONTACT: ORO Coatings 888.676.2683

HMIS CD: HLTH 0 FLAM 0 REACT 0 PROTECT 0
MATERIAL USE: Architectural Coating

II. COMPONENT DATA

HAZARDOUS INGREDIENT: None
% BY WEIGHT: Not Applicable
CAS NUMBER: Not Applicable
LD50 SPECIES, ROUTE: Not Applicable
LC50 INHALATION: Not Applicable
TLV: Not Applicable
WHMIS CLASS: Not Controlled

III. PRECAUTIONS FOR SAFE HANDLING AND STORAGE

VENTILATION: Good general ventilation is sufficient for most conditions.
HANDLING AND STORAGE: Use in a well-ventilated area. Keep from freezing. Store between 40 and 105° F

IV. PHYSICAL DATA

PHYSICAL STATE: Liquid
APPEARANCE AND ODOR: Viscous white colored liquid with slight odor.
BOILING RANGE: 212 ° F
FREEZING POINT: 32 ° F
VAPOR PRESSURE: Not Established
VAPOR DENSITY (AIR=1): Not Established
SOLUBILITY IN WATER: Miscible

PH RANGE: 7.5 to 8.5
COEFFICIENT OF OIL/WATER
DISTRIBUTION: Not Established
ODOR THRESHOLD: Not Established
SPECIFIC GRAVITY: 1.6 - 1.7
% VOLATILE BY VOLUME: 48 - 51%

V. PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS

RESPIRATORY PROTECTION: Wear respirator if spraying.
SKIN PROTECTION Use rubber or plastic gloves.
EYE PROTECTION: Use safety glasses with side shields or chemical goggles.

VI. FIRE & EXPLOSION HAZARD INFORMATION

FLAMMABILITY: Not Flammable
FLASH POINT: Not Applicable
FLAMMABLE LIMITS: LEL: Not Applicable
UEL: Not Applicable
AUTO IGNITION TEMPERATURE: Not Established
EXTINGUISHING MEDIA: Not Combustible
FIRE AND EXPLOSIVE HAZARDS: Liquid paint will not burn but may spatter above the boiling point.
Dried paint will burn.
FIRE FIGHTING EQUIPMENT: Wear self-contained positive pressure breathing apparatus
HAZARDOUS DECOMPOSITION PRODUCTS: Products of incomplete combustion include Oxides of Carbon, Nitrogen, and Toxic Hydrocarbons, heavy fumes and smoke
SENSITIVITY TO IMPACT: None Known
SENSITIVITY TO STATIC DISCHARGE: None Known

VII. REACTIVITY INFORMATION

STABILITY: Stable under normal conditions.
INCOMPATIBILITY: Avoid strong oxidizing agents.
HAZARDOUS POLYMERIZATION: Will not occur.

VIII. FIRST AID

EYES: Irrigate immediately with plenty of low pressure water for at least 15 minutes. Call a physician.
SKIN: Wash with soap and plenty of running water.
INGESTION: If swallowed induce vomiting. Keep at rest. Consult a physician.
INHALATION: Remove to fresh air. If dizziness, headache or other symptoms persist, consult a physician.

IX. TOXICOLOGY AND HEALTH INFORMATION

EYE CONTACT: May cause slight temporary eye irritation.
SKIN CONTACT: May be slightly irritating to skin.
INGESTION: Very low order of toxicity. No hazards are anticipated from ingestion incidental or handling.
INHALATION: At room temperature, vapor is minimal, but may cause headache or nausea in poorly ventilated areas.
SYSTEMIC AND OTHER EFFECTS: None known.
EXPOSURE LIMITS: Not Established
CARCINOGENICITY: Not indicated
TERATOGENICITY: Not indicated
REPRODUCTIVE TOXICITY: Not indicated
MUTAGENICITY: Not indicated
SYNERGISTIC PRODUCTS: None Known

X. TRANSPORTATION INFORMATION

REFERENCE BILL OF LADING.

XI. SPILL AND LEAK PROCEDURES

LEAK AND SPILL PROCEDURE: Prevent entry into sewer or natural waterway. Soak up with non-flammable, absorbent material. Remove to closed container for disposal.

XII. WASTE DISPOSAL

WASTE DISPOSAL: Dispose of product and materials used in cleaning up spills or leaks in a manner which is approved by federal and local requirements.

XIII. ADDITIONAL REGULATORY STATUS INFORMATION

FEDERAL REGULATIONS: SARA Hazard Categories (EPCRA 311/312): Not Hazardous

STATE REGULATIONS: CA Prop 65: This product contains a chemical(s) known to the State of California to cause cancer.

V. MAJOR REFERENCES

PREPARED BY: ORO Coatings, LLC

DATE: 11-15-2006

SOURCES: The information used to prepare this Material Safety Data Sheet is based on information provided by our raw materials suppliers.

SOURCES: The information used to prepare this Material Safety Data Sheet is based on information provided by our raw materials suppliers. Important: While the descriptions, designs, data, and information contained herein are presented in Good Faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or design, data, or information set forth, or that the products, designs, data, or information may be used without infringing the intellectual property rights of others, In no case shall the descriptions, information, data, or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, data, and information furnished by Oro Coatings, LLC hereunder, are given gratis and Oro Coatings, LLC assumes no obligation or liability for the description, designs, data, and information given or results obtained. All such being given and accepted at your risk.



MSDS

WHMIS STATUS
NOT CONTROLLED

MSDS Version # 001

MSDS DATE: 7/12/2007

MSDS Code: 11201

I. PRODUCT IDENTIFICATION

PRODUCT: ORO-Prime Acrylic Primer Coat
SUPPLIER: ORO Coatings, LLC
18021 North 25th Avenue, Suite C
Phoenix, AZ 85023

EMERGENCY CONTACT: ORO Coatings 888.676.2683

HMIS CD: HLTH 0 FLAM 0 REACT 0 PROTECT 0
MATERIAL USE: Architectural Coating

II. COMPONENT DATA

HAZARDOUS INGREDIENT: None
% By WEIGHT: Not Applicable
CAS NUMBER: Not Applicable
LD50 SPECIES, ROUTE: Not Applicable
LC50 INHALATION: Not Applicable
TLV: Not Applicable
WHMIS CLASS: Not Controlled

III. PRECAUTIONS FOR SAFE HANDLING AND STORAGE

VENTILATION: Good general ventilation is sufficient for most conditions.
HANDLING AND STORAGE: Use in a well-ventilated area. Keep from freezing. Store between 40 and 105° F

IV. PHYSICAL DATA

PHYSICAL STATE: Liquid
APPEARANCE AND ODOR: Viscous white colored liquid with slight odor.
BOILING RANGE: 212 ° F
FREEZING POINT: 32 ° F
VAPOR PRESSURE: Not Established
VAPOR DENSITY (AIR=1): Not Established
SOLUBILITY IN WATER: Miscible

PH RANGE: 7.5 to 8.5
COEFFICIENT OF OIL/WATER
DISTRIBUTION: Not Established
ODOR THRESHOLD: Not Established
SPECIFIC GRAVITY: 1.6 - 1.7
% VOLATILE BY VOLUME: 48 - 51%

V. PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS

RESPIRATORY PROTECTION: Wear respirator if spraying.
SKIN PROTECTION Use rubber or plastic gloves.
EYE PROTECTION: Use safety glasses with side shields or chemical goggles.

VI. FIRE & EXPLOSION HAZARD INFORMATION

FLAMMABILITY: Not Flammable
FLASH POINT: Not Applicable
FLAMMABLE LIMITS: LEL: Not Applicable
UEL: Not Applicable
AUTO IGNITION TEMPERATURE: Not Established
EXTINGUISHING MEDIA: Not Combustible
FIRE AND EXPLOSIVE HAZARDS: Liquid paint will not burn but may spatter above the boiling point.
Dried paint will burn.
FIRE FIGHTING EQUIPMENT: Wear self-contained positive pressure breathing apparatus
HAZARDOUS DECOMPOSITION PRODUCTS: Products of incomplete combustion include Oxides of Carbon, Nitrogen, and Toxic Hydrocarbons, heavy fumes and smoke
SENSITIVITY TO IMPACT: None Known
SENSITIVITY TO STATIC DISCHARGE: None Known

VII. REACTIVITY INFORMATION

STABILITY: Stable under normal conditions.
INCOMPATIBILITY: Avoid strong oxidizing agents.
HAZARDOUS POLYMERIZATION: Will not occur.

VIII. FIRST AID

EYES: Irrigate immediately with plenty of low pressure water for at least 15 minutes. Call a physician.
SKIN: Wash with soap and plenty of running water.
INGESTION: If swallowed induce vomiting. Keep at rest. Consult a physician.
INHALATION: Remove to fresh air. If dizziness, headache or other symptoms persist, consult a physician.

IX. TOXICOLOGY AND HEALTH INFORMATION

EYE CONTACT: May cause slight temporary eye irritation.
SKIN CONTACT: May be slightly irritating to skin.
INGESTION: Very low order of toxicity. No hazards are anticipated from ingestion incidental or handling.
INHALATION: At room temperature, vapor is minimal, but may cause headache or nausea in poorly ventilated areas.
SYSTEMIC AND OTHER EFFECTS: None known.
EXPOSURE LIMITS: Not Established
CARCINOGENICITY: Not indicated
TERATOGENICITY: Not indicated
REPRODUCTIVE TOXICITY: Not indicated
MUTAGENICITY: Not indicated
SYNERGISTIC PRODUCTS: None Known

X. TRANSPORTATION INFORMATION

REFERENCE BILL OF LADING.

XI. SPILL AND LEAK PROCEDURES

LEAK AND SPILL PROCEDURE: Prevent entry into sewer or natural waterway. Soak up with non-flammable, absorbent material. Remove to closed container for disposal.

XII. WASTE DISPOSAL

WASTE DISPOSAL: Dispose of product and materials used in cleaning up spills or leaks in a manner which is approved by federal and local requirements.

XIII. ADDITIONAL REGULATORY STATUS INFORMATION

FEDERAL REGULATIONS: SARA Hazard Categories (EPCRA 311/312): Not Hazardous

STATE REGULATIONS: CA Prop 65: This product contains a chemical(s) known to the State of California to cause cancer.

V. MAJOR REFERENCES

PREPARED BY: ORO Coatings, LLC

DATE: 11-15-2006

SOURCES: The information used to prepare this Material Safety Data Sheet is based on information provided by our raw materials suppliers.

Important: While the descriptions, designs, data, and information contained herein are presented in Good Faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or design, data, or information set forth, or that the products, designs, data, or information may be used without infringing the intellectual property rights of others. In no case shall the descriptions, information, data, or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, data, and information furnished by Oro Coatings, LLC hereunder, are given gratis and Oro Coatings, LLC assumes no obligation or liability for the description, designs, data, and information given or results obtained. All such being given and accepted at your risk.



MSDS

MSDS Version # 001

MSDS DATE: 7/12/2007

MSDS Code: 11201

I. PRODUCT IDENTIFICATION

PRODUCT: ORO-TopCoat Acrylic Textured Top Coat

SUPPLIER: ORO Coatings, LLC
18021 North 25th Avenue, Suite C
Phoenix, AZ 85023

EMERGENCY CONTACT: ORO Coatings 888.676.2683

HMIS CD: HLTH 0 FLAM 0 REACT 0 PROTECT 0
MATERIAL USE: Architectural Coating

II. COMPONENT DATA

HAZARDOUS INGREDIENT: None
% By WEIGHT: Not Applicable
CAS NUMBER: Not Applicable
LD50 SPECIES, ROUTE: Not Applicable
LC50 INHALATION: Not Applicable
TLV: Not Applicable
WHMIS CLASS: Not Controlled

III. PRECAUTIONS FOR SAFE HANDLING AND STORAGE

VENTILATION: Good general ventilation is sufficient for most conditions.
HANDLING AND STORAGE: Use in a well-ventilated area. Keep from freezing. Store between 40 and 105° F

IV. PHYSICAL DATA

PHYSICAL STATE: Liquid
APPEARANCE AND ODOR: Viscous white colored liquid with slight odor.
BOILING RANGE: 212 ° F
FREEZING POINT: 32 ° F
VAPOR PRESSURE: Not Established
VAPOR DENSITY (AIR=1): Not Established
SOLUBILITY IN WATER: Miscible

PH RANGE: 7.5 to 8.5
COEFFICIENT OF OIL/WATER
DISTRIBUTION: Not Established
ODOR THRESHOLD: Not Established
SPECIFIC GRAVITY: 1.6 - 1.7
% VOLATILE BY VOLUME: 48 - 51%

V. PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS

RESPIRATORY PROTECTION: Wear respirator if spraying.
SKIN PROTECTION: Use rubber or plastic gloves.
EYE PROTECTION: Use safety glasses with side shields or chemical goggles.

VI. FIRE & EXPLOSION HAZARD INFORMATION

FLAMMABILITY: Not Flammable
FLASH POINT: Not Applicable
FLAMMABLE LIMITS: LEL: Not Applicable
UEL: Not Applicable
AUTO IGNITION TEMPERATURE: Not Established
EXTINGUISHING MEDIA: Not Combustible
FIRE AND EXPLOSIVE HAZARDS: Liquid paint will not burn but may spatter above the boiling point. Dried paint will burn.
FIRE FIGHTING EQUIPMENT: Wear self-contained positive pressure breathing apparatus
HAZARDOUS DECOMPOSITION PRODUCTS: Products of incomplete combustion include Oxides of Carbon, Nitrogen, and Toxic Hydrocarbons, heavy fumes and smoke
SENSITIVITY TO IMPACT: None Known
SENSITIVITY TO STATIC DISCHARGE: None Known

VII. REACTIVITY INFORMATION

STABILITY: Stable under normal conditions.
INCOMPATIBILITY: Avoid strong oxidizing agents.
HAZARDOUS POLYMERIZATION: Will not occur.

VIII. FIRST AID

EYES: Irrigate immediately with plenty of low pressure water for at least 15 minutes. Call a physician.
SKIN: Wash with soap and plenty of running water.
INGESTION: If swallowed induce vomiting. Keep at rest. Consult a physician.
INHALATION: Remove to fresh air. If dizziness, headache or other symptoms persist, consult a physician.

IX. TOXICOLOGY AND HEALTH INFORMATION

EYE CONTACT: May cause slight temporary eye irritation.
SKIN CONTACT: May be slightly irritating to skin.
INGESTION: Very low order of toxicity. No hazards are anticipated from ingestion incidental or handling.
INHALATION: At room temperature, vapor is minimal, but may cause headache or nausea in poorly ventilated areas.
SYSTEMIC AND OTHER EFFECTS: None known.
EXPOSURE LIMITS: Not Established
CARCINOGENICITY: Not indicated
TERATOGENICITY: Not indicated
REPRODUCTIVE TOXICITY: Not indicated
MUTAGENICITY: Not indicated
SYNERGISTIC PRODUCTS: None Known

X. TRANSPORTATION INFORMATION

REFERENCE BILL OF LADING.

XI. SPILL AND LEAK PROCEDURES

LEAK AND SPILL PROCEDURE: Prevent entry into sewer or natural waterway. Soak up with non-flammable, absorbent material. Remove to closed container for disposal.

XII. WASTE DISPOSAL

WASTE DISPOSAL: Dispose of product and materials used in cleaning up spills or leaks in a manner which is approved by federal and local requirements.

XIII. ADDITIONAL REGULATORY STATUS INFORMATION

FEDERAL REGULATIONS: SARA Hazard Categories (EPCRA 311/312): Not Hazardous

STATE REGULATIONS: CA Prop 65: This product contains a chemical(s) known to the State of California to cause cancer.

V. MAJOR REFERENCES

PREPARED BY: ORO Coatings, LLC

DATE: 11-15-2006

SOURCES: The information used to prepare this Material Safety Data Sheet is based on information provided by our raw materials suppliers.

Important: While the descriptions, designs, data, and information contained herein are presented in Good Faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or design, data, or information set forth, or that the products, designs, data, or information may be used without infringing the intellectual property rights of others. In no case shall the descriptions, information, data, or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, data, and information furnished by Oro Coatings, LLC hereunder, are given gratis and Oro Coatings, LLC assumes no obligation or liability for the description, designs, data, and information given or results obtained. All such being given and accepted at your risk.